



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in

Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/GJ/104/5690 (P427828)

Dated : 08/07/2019

To,

✓ M/s. Akshar Brass Industries,
Plot No. 46, 47, 50, 51 Survey No. 238, 245, 246,
Plot No. 46, 47, 50, 51 Survey No. 238, 245, 246, Naghedi Industrial Area, Jamnagar- 361 006, Gujarat,
Jamnagar,
Taluka: Jamnagar,
District: JAMNAGAR,
State: Gujarat,
PIN: 361006

Sub : Approval of Cable Glands and Blanking Elements under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. AB/PESO/2018/12/04 dated 19/06/2019 on the subject.

The following Ex electrical equipment(s) manufactured by you according to EN 60079-0 : 2012/A11 : 2013, EN 60079-1 : 2014, EN 60079-7 : 2015, standards and covered under Intertek Testing & Certification Limited Test reports mentioned below is/are approved for use in Zone 1, Zone 2 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	E1F Ex Cable Gland	Ex db IIC Gb / Ex eb* IIC Gb (Ex eb approved for installation in zone 2 only)	P427828/1	Intertek Testing & Certification Limited	ITS16ATEX100935X Issue 1	14/06/2019	Ex-CE1F Rev 0
2	A2 Ex Cable Gland	Ex db IIC Gb / Ex eb* IIC Gb (Ex eb approved for installation in zone 2 only)	P427828/2	Intertek Testing & Certification Limited	ITS16ATEX100935X Issue 1	14/06/2019	Ex-CA2F Rev 0
3	CW Ex Cable Gland	Ex eb* IIC Gb (Approved for installation in zone 2 only)	P427828/3	Intertek Testing & Certification Limited	ITS16ATEX100935X Issue 1	14/06/2019	Ex-CCE Rev 0
4	Hexagonal Blanking Element	Ex db IIC Gb / Ex eb* IIC Gb (Ex eb approved for installation in zone 2 only)	P427828/4	Intertek Testing & Certification Limited	ITS16ATEX100935X Issue 1	14/06/2019	Ex-CHSP Rev 0
5	Allen Blanking Element	Ex db IIC Gb / Ex eb* IIC Gb (Ex eb approved for installation in zone 2 only)	P427828/5	Intertek Testing & Certification Limited	ITS16ATEX100935X Issue 1	14/06/2019	Ex-CASP Rev 0

This Approval is granted subject to observance of the following conditions:-

- 1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the Intertek Testing & Certification Limited applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) BIS approval number.
 - (f) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified at Testing agency shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Intertek Testing & Certification Limited and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its safe characteristics.
- 6) The IS/IEC 60079-17 and IS/IEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

Conditions of the Approval:-


The approval for above equipments is subject to validity of production quality assessment notification ITS16ATEXQ00970. Cable glands and blanking elements with Ex e type marking shall be used for installation in zone 2 of the hazardous areas only.

This approval also covers the permissible variations as approved under the Intertek Testing & Certification Limited test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto 31/12/2023

Yours faithfully,


 (Ninad Dattaram Gawade)
 Dy. Controller of Explosives
 For Chief Controller of Explosives
 Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.